


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	10/11/2016	DPD	JAG





NOTE:  
REF. AIRBUS T/N: M210V4000103.

<b>DART</b> AEROSPACE	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103</b>	REV <b>1</b>
MAT'L TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: <b>DUERFELDT</b> CHECKED: <b>MACKOVJAK</b> OPPTS APPR: <b>ANDERSON</b> QA APPR: <b>LINDSAY</b> APPROVED: <b>GILBERT</b>	
USED ON MODEL <b>H175</b>	
SCALE <b>1:4</b>	DATE <b>4/25/2016</b>
SHEET 1 OF 8	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BASE	6061		2
			-3	1	BOLT	6061		3
			-5	1	KNOB	303 S.S.		4
			-7	1	SPECIAL WASHER	6061		5
			-9	1	PLACARD	PLASTIC		6
		B/O	-11	1	BOTTOM FOAM	ETHAFOAM 220, BLACK	2.08 X 6.04 X 10.54 (CASE SOLUTIONS)	7
		B/O	-13	1	TOP FOAM	ETHAFOAM 220, BLACK	1.08 X 6.04 X 10.54 (CASE SOLUTIONS)	8
		B/O	-15	1	CASE	PLASTIC	PELICAN #APP-1170-E	N/S
		B/O		1	DART PLACARD	ALUMINUM	RB41011	N/S

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED





(-1)  
BASE

<b>DART AEROSPACE</b>	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-1</b>	REV <b>1</b>
MAT'L 6061	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH CLEAR ANODIZE	.XXX ± .005 FRACTIONS ± 1/8
SPEC MIL-A-8625F, TYPE II, CLASS I	.XX ± .01 ANGLES ± 5°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: MACKOVJAK	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 1:2	DATE 4/25/2016
	SHEET 2 OF 8

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




<b>DART</b> AEROSPACE	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-3</b>	REV <b>1</b>
MAT'L 6061	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH CLEAR ANODIZE	.XXX ± .005 FRACTIONS ± 1/8
SPEC MIL-A-8625F, TYPE II, CLASS I	.XX ± .01 ANGLES ± 5°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125
CHECKED: MACKOVJAK	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 2:1	DATE 4/25/2016
	SHEET 3 OF 8

③  
BOLT

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



M5X0.8 - 6H THRU ALL

Ø .79

Ø .40

3X .03 X 45°

STRAIGHT KNURL




(-5)

KNOB

<b>DART AEROSPACE</b>	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-5</b>	REV <b>1</b>
MAT'L 303 S.S.	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± .5°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: MACKOVJAK	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 2:1	DATE 4/25/2016
	SHEET 4 OF 8

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-7)

SPECIAL WASHER

<b>DART</b> AEROSPACE	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-7</b>	REV <b>1</b>
MAT'L 6061	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH CLEAR ANODIZE	.XXX ± .005 FRACTIONS ± 1/8
SPEC MIL-A-8625F, TYPE II, CLASS I	.XX ± .01 ANGLES ± .5°
	.X ± .1 SURFACES = 125
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: MACKOVJAK	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE 2:1	DATE 4/25/2016
	SHEET 5 OF 8

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






NOTE:  
USE PDF.

<b>DART</b> AEROSPACE	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-9</b>	REV <b>1</b>
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: <b>DUERFELDT</b>	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: <b>MACKOVJAK</b>	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: <b>ANDERSON</b>	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: <b>LINDSAY</b>	USED ON MODEL
APPROVED: <b>GILBERT</b>	<b>H175</b>
SCALE <b>1:2</b>	DATE <b>4/25/2016</b>
SHEET 6 OF 8	

⑨  
PLACARD

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



DETAIL B  
SCALE 2 : 3



(11)  
BOTTOM FOAM

<b>DART AEROSPACE</b>	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-11</b>	REV <b>1</b>
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
FRACTIONS ± 1/8	
ANGLES ± 1°	
SURFACES = 125	
SPEC	
DRAWN BY:	DUERFELDT
CHECKED:	MACKOVJAK
OPPS APPR:	ANDERSON
QA APPR:	LINDSAY
APPROVED:	GILBERT
USED ON MODEL <b>H175</b>	
SCALE <b>1:3</b>	DATE <b>4/25/2016</b>
SHEET 7 OF 8	



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION A-A

(-13)  
TOP FOAM

<b>DART AEROSPACE</b>	
TITLE <b>PULLEY COMPRESSOR RIGGING KIT</b>	
DWG NO. <b>RBEM210V4000103-13</b>	REV <b>1</b>
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125°	
SPEC	
1. BREAK ALL SHARP EDGES	
.015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY	
AFTER PLATING	
3. INTERPRET DIM AND TOL PER	
ASME Y14.5M-2009	
DRAWN BY: <b>DUERFELDT</b>	USED ON MODEL
CHECKED: <b>MACKOVJAK</b>	<b>H175</b>
OPPS APPR: <b>ANDERSON</b>	
QA APPR: <b>LINDSAY</b>	
APPROVED: <b>GILBERT</b>	
SCALE <b>1:3</b>	DATE <b>4/25/2016</b>
SHEET <b>8 OF 8</b>	